

Screen Frame




源自德国品牌 *Germany*



DRAFTER OF THE NATIONAL STANDARD OF THE DOOR & WINDOW SCREEN OF P.R.C


| Alloy 6063 | Ultimate Tensile Strength (Mpa) | Yield Tensile Strength (Mpa) | Elongation (%) | Vickers Hardness (HV) |
|------------------------------|---------------------------------|------------------------------|----------------|-----------------------|
| ISO/R International Standard | 204.96 | 170 | 8 | 58 |

Pleated Screen Mesh



- Environment protection**
Formaldehyde content:0
- Waterproof**
Grade of getting wet : grade-3
- Prevent dirty & dust free**
Grade of Oil resistant : grade-6
- Fadeless**
Color fastness degree : grades-7

GREENWEB Inspire the Future



SHANGHAI EVERGREEN DECORATION PRODUCTS CO.,LTD

ADD: No.29, Lane 1002, Kangshen Rd, Kangqiao, Shanghai
TEL : 86-21-68122690 68122687
FAX : 86-21-68121673 E-mail: greenweb@163.com



Wechat Public Number




www.WB380.com



A Plus Type Caterpillar Barrier Free Pleated Screen Door

- National physical structure patent and five appearance patents
- Silent operation
- No bottom rail(barrier free)
- Easy installation and removable
- Environmental friendly mesh material(zero methylbenzene and formaldehyde, REACH certified)
- Reliable protection against dirt,oil and little insect(mesh size:20*20)
- Better view mesh(visible rate 76%)
- Multi-panels joint together, max height 3.2m and max width 8m
- Mesh anti-UV test 5 years
- Operate test 100,000 times

A1 Type Caterpillar Retractable Screen Door



A2 Type Caterpillar Retractable Screen Door




No Bottom Rail




Easy installation and removable



B1 Type Removable Pleated Window Screen





B2 Type Removable Pleated Window Screen



B Plus Type Removable Pleated Screen Window & Door

- National four physical structure patents and five appearance patents
- Easy installation and removable
- Environmental friendly mesh material (zero methylbenzene and formaldehyde, Reach certificated)
- Reliable protection against dirt, water, oil and little insect (mesh size: 20*20)
- Better view mesh (visible rate 76%)
- Single panel max height 3.2m and max width 5m
- Mesh anti-UV test 5 years
- Operate test 100,000 times




Corner Joints

Installation Bracket

M Pleated screen window&door

- Corner design, making screen expandable, so it's convenient for Rectangle windows and door.
- Pressing & buckling design, making it's available for professional person to remove and clean.
- National physical structure patent and five appearance patents




Magnetic strip




K Casement Window Protection System

- Flexible hinge design and removable
- Easy to clean graphic design
- Protection mini lock design
- Stainless steel 304 mesh corrosion resisting
- Better view mesh, wire diameter 0.18mm




FJ Windproof Retractable Roller Screen




J DIY Retractable Roller Screen



- National physical structure patent and appearance patent
- Dust-cleaning device, make screens no need to be cleaned in a short time
- Anti-bump brake, solved the impact noise problem
- Flexible operation with covered button
- Anti-wind tension mechanism




- National physical structure patent
- Removable easily for cleaning
- Anti-bump brake
- Windproof
- Easy adjustment of the spring force
- Dust-cleaning device
- Easy installation
- Mesh anti-UV test 5 years
- Operate test 60,000 times



How to open it
Press the button



How to open it
Press the button



How to close it
Drop down the bar



Security Protection System Window & Door

Wire diameter:0.8mm

Mesh size:11x11

Material:stainless steel 304

Surface coating:powder coating

6063/T5

Force point thickness 2.0mm

Force surface thickness 1.8mm

Non-force surface thickness 1.4mm

Anti-prizing U shape locking point design

Easy to clean graphic design

Anti-blocking handle ladder design

Rubber strip design with less noise

Screw fixed anti bump(900N.M)

Security Mesh

Aluminium Profiles

Structure

